## WEST

	·	
Help	Logout	Interrupt

Main Menu	Search Form	Posting Counts	Show S Numbers	Edit S Numbers	Preferences	Cases

1 × × ~

## Search Results -

Terms	Documents
L33 and (geograph\$4 near20 location\$2)	1

	US Patents Full-Text Database	
	US Pre-Grant Publication Full-Text Database	
	JPO Abstracts Database	
	EPO Abstracts Database	
	Derwent World Patents Index	
Database:	IBM Technical Disclosure Bulletins	▼


Search:

L36					<b>▲</b>	Refine Search
	Recall Text 👄	Г	Clear			


## **Search History**

Set Name side by side		Hit Count	Set Name result set
•	SPT; PLUR=YES; OP=OR		
<u>L36</u>	L33 and (geograph\$4 near20 location\$2)	1	<u>L36</u>
<u>L35</u>	L33 and (geographical near2 location)	0	<u>L35</u>
<u>L34</u>	L33 and L29	0	<u>L34</u>
<u>L33</u>	L31 and L28	3	<u>L33</u>
<u>L32</u>	L31 and L28 and L29	0	<u>L32</u>
<u>L31</u>	"map coordinate"	672	<u>L31</u>
<u>L30</u>	L29 and L28	2	<u>L30</u>
<u>L29</u>	"geographical location"	3360	<u>L29</u>
<u>L28</u>	"spatial query"	27	<u>L28</u>
<u>L27</u>	((data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)) and (spatial near2 quer\$3)	0	<u>L27</u>
<u>L26</u>	(data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)	7	<u>L26</u>
<u>L25</u>	L24 and quer\$3	5	<u>L25</u>

<u>L24</u>	(data adj2 record\$2) same (receiv\$3 or retriev\$3) same (geograph\$4 adj2 location\$2)	19	<u>L24</u>
<u>L23</u>	L22 and (database\$2 near10 location\$2)	1	<u>L23</u>
<u>L22</u>	L18 and map\$2	60	<u>L22</u>
<u>L21</u>	L18 and L9	0	<u>L21</u>
<u>L20</u>	L9 and L18	0	<u>L20</u>
<u>L19</u>	(coordinate\$1 adj2 pair\$2) near2 object\$2	13	<u>L19</u>
<u>L18</u>	(coordinate\$1 adj2 pair\$2) same object\$2	160	<u>L18</u>
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44 .	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	. 74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>




Set Name side by side	Query	Hit Count	Set Name result set
	PT; PLUR=YES; OP=OR		
<u>L33</u>	L31 and L28	3	<u>L33</u>
<u>L32</u>	L31 and L28 and L29	0	<u>L32</u>
<u>L31</u>	"map coordinate"	672	<u>L31</u>
<u>L30</u>	L29 and L28	2	<u>L30</u>
<u>L29</u>	"geographical location"	3360	<u>L29</u>
<u>L28</u>	"spatial query"	27	<u>L28</u>
<u>L27</u>	((data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)) and (spatial near2 quer\$3)	0	<u>L27</u>
<u>L26</u>	(data adj2 record\$2) same user\$2 same (geograph\$4 adj2 location\$2)	7	<u>L26</u>
<u>L25</u>	L24 and quer\$3	5	<u>L25</u>
<u>L24</u>	(data adj2 record\$2) same (receiv\$3 or retriev\$3) same (geograph\$4 adj2 location\$2)	19	<u>L24</u>
<u>L23</u>	L22 and (database\$2 near10 location\$2)	1	<u>L23</u>
<u>L22</u>	L18 and map\$2	60	<u>L22</u>
<u>L21</u>	L18 and L9	0	<u>L21</u>
<u>L20</u>	L9 and L18	0	<u>L20</u>
<u>L19</u>	(coordinate\$1 adj2 pair\$2) near2 object\$2	13	<u>L19</u>
<u>L18</u>	(coordinate\$1 adj2 pair\$2) same object\$2	160	<u>L18</u>
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	. 8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>



Set Name		Hit Count	Set Name result set
•	SPT; PLUR=YES; OP=OR		
<u>L23</u>	L22 and (database\$2 near10 location\$2)	1	<u>L23</u>
<u>L22</u>	L18 and map\$2	60	<u>L22</u>
<u>L21</u>	L18 and L9	0	<u>L21</u>
<u>L20</u>	L9 and L18	0	<u>L20</u>
<u>L19</u>	(coordinate\$1 adj2 pair\$2) near2 object\$2	13	<u>L19</u>
<u>L18</u>	(coordinate\$1 adj2 pair\$2) same object\$2	160	<u>L18</u>
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>

	e more an	Lie otto i processe to securum its.	WES			
		Help	Logout	Interrupt	•	
<b>%</b> .	Main Menu	Search Form Posting Co	unts Show S Numb	ers Edit S Number	rs Preferences	Cases
, <b></b>		Particular and the second seco	Search Resi	ılts -		
			Terms		Documents	
		(map\$2 adj2 coord	linate\$2) near2	conversion\$2	6	
Database:	JPO Abs EPO Abs Derwent	Grant Publication Full- tracts Database stracts Database World Patents Index hnical Disclosure Bulle		<b>▼</b>		
Search:	L17				Refine Search	000000000000000000000000000000000000000
		Recall Text	Clear Search His	tory		
			Search file	stor y		

Set Name		Hit Count	Set Name result set
•	SPT; PLUR=YES; OP=OR		
<u>L17</u>	(map\$2 adj2 coordinate\$2) near2 conversion\$2	6	<u>L17</u>
<u>L16</u>	L12 and (map\$2 adj2 coordinate\$2)	3	<u>L16</u>
<u>L15</u>	L12 and (database\$2 near20 ((plurality or pluralities) adj2 location\$2))	8	<u>L15</u>
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>





Set Nam side by sid		Hit Count S	Set Name result set
DB=U	SPT; PLUR = YES; OP = OR		
<u>L14</u>	L12 and (database\$2 near10 ((plurality or pluralities) adj2 location\$2))	8	<u>L14</u>
<u>L13</u>	L12 and (database\$2 near10 location\$2)	21	<u>L13</u>
<u>L12</u>	L9 and (server\$2 or node\$2 or client\$2)	40	<u>L12</u>
<u>L11</u>	L9 and (server\$2 or node\$2)	39	<u>L11</u>
<u>L10</u>	L9 and (server\$ or node\$)	39	<u>L10</u>
<u>L9</u>	L8 and map\$2	44	<u>L9</u>
<u>L8</u>	L7 and (internet or intranet)	74	<u>L8</u>
<u>L7</u>	L2 and (stor\$3 near10 table\$2)	506	<u>L7</u>
<u>L6</u>	L5 and (map\$1 near2 server\$2)	3	<u>L6</u>
<u>L5</u>	L3 and internet	74	<u>L5</u>
<u>L4</u>	L3 and (map\$1 near2 server\$2)	3	<u>L4</u>
<u>L3</u>	L2 and (stor\$3 near10 table\$1)	500	<u>L3</u>
<u>L2</u>	gis or (geography same information same system)	7869	<u>L2</u>
<u>L1</u>	method same collect\$4 same express\$4 same geograph\$6 same data\$1	2	<u>L1</u>